

## ATTACHMENT A

### Amendments to the Claims

*Following herewith is a complete listing of the claims, including a marked copy of the currently amended claims.*

1. (Currently amended) A lateral flow immunoassay device comprising: a housing including means for holding a test sample collector with a test sample contained within said collector; an elongated holder member securing at least one immunoassay test strip therein; a first chamber containing a first, pre-treatment reagent; a second chamber containing a second reagent; means for contacting the test sample with said pre-treatment reagent and allowing said test sample to mix with said first reagent and to form a mixture; means for combining ~~introducing~~ said second reagent ~~to~~with said mixture and allowing said mixture to react with said second reagent for a period of time prior to contacting the mixture and second reagent combination with at least one immunoassay test strip; means for holding the test strip prior to contacting the mixture and second reagent combination; and means for allowing the mixture and second reagent combination to contact said at least one immunoassay test strip.

2. (Original) The lateral flow immunoassay device of Claim 1 wherein said pre-treatment reagent includes a buffer solution.

3. (Original) The lateral flow immunoassay device of Claim 1 wherein said second reagent is a binder.

4. (Original) The lateral flow immunoassay device of Claim 3 wherein said binder is a colloid gold-antibody complex.

5. (Original) The lateral flow immunoassay device of Claim 1 wherein said second reagent is an antigen.

6. (Original) The lateral flow immunoassay device of Claim 1 wherein said pre-treatment reagent is contained within a rupturable enclosure.

7. (Original) The lateral flow immunoassay device of Claim 6 wherein said contacting means includes a piercing member that ruptures said enclosure and releases said first reagent therefrom, the test sample being in fluid communication with said first reagent when the test sample is released from the sample collector.

8. (Original) The lateral flow immunoassay device of Claim 1 wherein said introducing means includes apertures in communication with said second chamber through which said mixture flows and contacts said second reagent.

9. (Currently amended) The lateral flow immunoassay device of Claim 1 wherein said means for holding the test strip holds prevent the test strip from contacting the mixture and second reagent combination ~~for allowing said mixture to contact said at least one immunoassay test strip includes said holder member being isolated so that~~

~~said at least one the~~ test strip ~~does not contact said mixture~~ until said mixture has reacted with said second reagent.

10. (Currently amended) The lateral flow immunoassay device of Claim 1 wherein said means for holding the test sample container ~~holding means~~ includes an elongated slot.

11. (Original) The lateral flow immunoassay device of Claim 6 wherein said contacting means includes a button and a piercing member, said button activating said piercing member to rupture said enclosure and release said first reagent contained therein, the test sample being in fluid communication with said first reagent when the test sample is released from the sample collector.

12. (Original) The lateral flow immunoassay device of Claim 1 wherein said housing is generally L-shaped with a vertical leg having a top end and a bottom end and a horizontal leg extending outwardly from said bottom of said vertical leg.

13. (Original) The lateral flow immunoassay device of Claim 12 wherein said test strip is located within said vertical leg.

14. (Currently amended) A lateral flow immunoassay device comprising:  
a housing including means for holding a test sample collector with a test sample contained therein; an elongated holder member for securing at least one immunoassay

test strip therein; a first chamber containing a first reagent; a second chamber containing a second reagent; means for permitting the test sample, the first reagent and the second reagent to mix prior to contacting the mixture of the first reagent, second reagent and test sample with a test strip; means for holding said test strip prior to said test strip being permitted to be in fluid communication with said test sample, said first reagent and said second reagent; and means for permitting said test sample, said test strip, said first reagent, and said second reagent to be in fluid communication.

15. (Original) The lateral flow immunoassay device of Claim 14 wherein said first reagent is contained in a rupturable enclosure.

16. (Original) The lateral flow immunoassay device of Claim 14 wherein said first reagent includes a buffer solution.

17. (Original) The lateral flow immunoassay device of Claim 14 wherein said second reagent is a binder.

18. (Original) The lateral flow immunoassay device of Claim 17 wherein said binder is a colloidal gold-antibody complex.

19. (Original) The lateral flow immunoassay device of Claim 14 wherein said second reagent is an antigen.

20. (Original) The lateral flow immunoassay device of Claim 15 further including a piercing member that ruptures said enclosure and releases said first reagent therefrom, the test sample being in fluid communication with said first reagent when the test sample is released from the sample collector.

21. (Original) The lateral flow immunoassay device of Claim 14 further including apertures in communication with said second chamber through which said first reagent flows and contacts said second reagent.

22. (Currently amended) The lateral flow immunoassay device of Claim 14 wherein said means for holding the test sample container ~~holding means~~ includes an elongated slot.

23. (Original) The lateral flow immunoassay device of Claim 15 further including a button and a piercing member, said button activating said piercing member to rupture said enclosure and to release said first reagent contained therein, the test sample being in fluid connection with said first reagent when the test sample is released from the sample collector.

24. (Original) The lateral flow immunoassay device of Claim 14 wherein said housing is generally L-shaped with a vertical leg having a top end and a bottom end and a horizontal leg extending outwardly from said bottom of said vertical leg.

25. (Original) The lateral flow immunoassay device of Claim 24 wherein said test strip is located within said vertical leg.

26. (Previously presented) The lateral flow immunoassay device of Claim 1 wherein the pre-treatment reagent dilutes or denatures interferants in the test sample.

27. (Previously presented) The lateral flow immunoassay device of Claim 14 wherein the first reagent dilutes or denatures interferants in the test sample.